



## Ontario Flora Wholesale Plant List 2022

Wholesale Prices and Formats

\* Note 'Coming Soon' species we out of as of spring 2022 but will be ready for mid summer or later as per species. This catalogue will be revised as they come available. Pre-orders for these plants not available at this time.

Latin Name	Common Name	Sun (Full, Part, Shade)	Height	Bloom	Time	Moisture (Wet-Mesic-Dry)	Soil (All-Sand-Clay-Loam)	Habitat and Information	3.25" x 4"	4.25 x 5" jumbo pot	5.5 x 6" 1 gal pot
<b>Perennials, Ferns, Fern Allies, Grasses, Sedges, Rushes</b>											
<i>Acorus americanus</i>	Sweet Flag	F-P-S	1-2 ft	n/a	n/a	MW	A	Similar leaf to Iris. A great plant for rain gardens especially in shade			Coming Soon
<i>Adiantum pedatum</i>	Maidenhair Fern	S	1-2 ft	n/a	n/a	M	AL	Moist shady habitats with high organic material. Spread pinnae out in a circular form		Coming Soon	
<i>Agastache foeniculum</i>	Anise Hyssop	P-F	3-4 ft	Purple	Jun-Sep	MD	A	Prairie, meadow, field, one of the best for bees of all. Very edible minty licorice taste, strongly licorice scented leaves, showy, this is northern Ontario plant	\$ 3.20	\$ 4.50	
<i>Agastache nepetoides</i>	Yellow Giant Hyssop	F-P	4-6 ft	Yellow	Jul-Aug	M	A	Large plant, mostly grown for foliage, habitat in open woods, meadows, seed location unknown	\$ 3.20	\$ 4.50	
<i>Ageratina altissima</i>	White Snakeroot	P-S	2-5 ft	Cream	Aug-Oct	WM	A	Woodland, open woods, wet wooded clearings, a giant fall shade plant	\$ 3.20	\$ 4.50	
<i>Algalinis purpurea</i>	Purple False Foxglove	F	6"-2 ft	Purple	July-Sep	MD	A	A new addition to native plant nurseries, this smaller alvar plant has a lovely pink flower, ground cover in gravel soil	Coming Soon		
<i>Allium canadense</i>	Canada Wild Onion	P	8"-2 ft	Pink/White	Apr-May	MD	ASC	This plant makes its home in savannahs, short grass meadows habitats, great early bloomer for dry conditions, edible		\$ 4.50	
<i>Allium cernuum</i>	Nodding Wild Onion	P	1-3 ft	Pink	Jun-Aug	WM	ASC	A flower head that leans toward the ground this onion is edible, wet meadows, streambanks, not edible in quantities	\$ 3.30		
<i>Allium schoenoprasum</i>	Wild Chives	F-P	1-2 ft	Pink	Jun-Aug	MD	ASC	Not the garden variety imported from Europe but the north american variety. Similar but generally fewer flowers per cluster, habitat is thin rocky soils such as alvar	\$ 3.20	\$ 4.50	
<i>Allium tricoccum</i>	Wild Leek	P-S	6"-1ft	White	Apr-May	MD	A	A member of the allium family enjoyed in spring, this plant is common in Quebec and Ontario but quite rare in other areas			
<i>Ammophila breviligulata</i>	Beach Marram Grass	F	1-4 ft	n/a	Aug-Sep	D	AS	Great sand dune grass, slope remediation, shoreline habitat regeneration	Coming Soon		
<i>Anaphalis margaritacea</i>	Pearly Everlasting	F	1-3 ft	White	Jun-Oct	MD	A	The whole plant has cottony hairy leaves and white flowers. Painted Lady Butterfly larval host	Coming Soon		

Latin Name	Common Name	Sun (Full, Part, Shade)	Height	Bloom	Time	Moisture (Wet-Mesic-Dry)	Soil (All-Sand-Clay-Loam)	Habitat and Information	3.25" x 4"	4.25 x 5" jumbo pot	5.5 x 6" 1 gal pot
<i>Anemone canadensis</i>	Canadian Anemone	F-P-S	1-2 ft	White	May-Aug	WM	A	Woodland, forest edge, prairie, meadow, riparian, swamp, marsh, vegetative and seed propagated, the most adaptable groundcover	\$ 3.20	\$ 4.50	
<i>Anemone cylindrica</i>	Cylindric Anemone	F-P-S	2-3 ft	White	Jun-Aug	MD	A	This plant has 4-9 leaves in a whorl at midstem. Long thimble-like seedheads. Hardy in dry meadows, open woods	\$ 3.20	\$ 4.50	
<i>Angelica atropurpurea</i>	Angelica	F-P	6-8 ft	White	Jun	WM	A	Not to be confused with other much more poison plants in this family, habitats are similar, but this beauty is possible to plant in gardens.	Coming Soon		
<i>Antennaria neglecta</i>	Field Pussy Toes	F-P	6"-16"	White	Apr-Jun	MD	AS	Excellent rock garden groundcover. Substitute for the well known Pearly Everlasting. Larval host to Painted Lady Butterfly. Gravel or rocky soils	\$ 3.20		
<i>Antennaria parlinii</i>	Parlin's Pussy Toes	F-P	6"-16"	White	Apr-Jun	MD	AS	Quite tall, large cottony hairy leaves, a great substitute for Pearly Everlasting. Larval host to the Painted Lady Butterfly in rocky soils	\$ 3.20		
<i>Apios americana</i>	Ground Nut	F-P-S	3-10 ft	Pink	Jul-Sep	M	A	An vine that produced edible tubers. Prefers moist to normal loamy soil in moist woods, open clearings, shorelines		\$ 4.50	
<i>Apocynum androcaemifolium</i>	Spreading Dogbane	F-P	2-4 ft	Pink	Jun-Aug	MD	ASC	Related to milkweeds, this plant makes its home along gravelly paths such as train tracks, rocky bluffs, and sunny edges, it forms dense colonies, deep red stalk	\$ 3.20		
<i>Apocynum cannabinum</i>	Indian Hemp	F-P	3-4 ft	White	Jul-Aug	MD	ASC	Makes colonies in open woods and sunny edges, tolerates dry rocky soil, red stalk, upturned leaves unlike Spreading Dogbane	Coming Soon		
<i>Aquilegia canadensis</i>	Wild Columbine	F-P	6"-3 ft	Yellow/Red	May-June	MD	ASC	Adaptable to shade in open woods, rocky bluffs or sunny shorelines this wild version has a delicate yellow and red bloom, a plant of Bruce Peninsula alvars	\$ 3.20	\$ 4.50	
<i>Aralia racemosa</i>	Spikenard	F-P	2-5 ft	Cream	May-June	WM	AL	This edible wild plant has been used as substitute for root beer, excellent shade garden plant for normal to moist soil, a large plant in shade gardens	\$ 4.50		
<i>Arctostaphylos uva-ursi</i>	Bearberry	F-P	4-8"	White/Pink	May-Jun	MD	A	Provides excellent ground cover in sunny dry areas, shiny leaves and red berries provide interest		Coming Soon	
<i>Arisaema triphyllum</i>	Jack in the Pulpit	S	1-2.5 ft	Green/Purple	May-Jun	WM	L	Moist to mesic deciduous and mixed coniferous woods, lush large leaves. Produces a spathe or leaf like petal surrounding a spadix or tall flower stalk		Coming Soon	
<i>Asarum canadense</i>	Wild Ginger	S	6"-1 ft	Brown	Apr-May	WMD	AL	Deciduous forest, edible, drought tolerant ground cover with rough kidney shaped leaves, one of best native plant substitutes for hostas		Coming Soon	\$ 12.00
<i>Asclepias exaltata</i>	Poke Milkweed	F-P-S	3-5 ft	Pink	Jun-Aug	M	AS	Another great milkweed for sandy soils in both sun and shade it is quite adaptable. Drought tolerant		Coming Soon	
<i>Asclepias incarnata</i>	Swamp Milkweed	F-P	2-4 ft	Pink	Jun-Aug	WM	A	Monarch larval host, wet meadow, prairie, riparian, swamp, marsh, great for monarchs, adaptable to many types of gardens, very elegant, tropical looking flower		\$ 4.50	
<i>Asclepias sullivanti</i>	Sullivant's Milkweed	F-P	1-3 ft	Pink	Jun-Aug	WMD	A	A rare milkweed of Grey Bruce. Similar to Common Milkweed in many ways. Great for wet to dry, and many soil types		Coming Soon	
<i>Asclepias syriaca</i>	Common Milkweed	F-P	3-4 ft	Pink	Jun-Aug	MD	A	Larval host to Monarch Butterfly, great early colonizer of old fields and meadows, lovely pink orchid-like flower, hairy grey leaf, essential for pollinator gardens		\$ 4.50	
<i>Asclepias tuberosa</i>	Butterfly Milkweed	F-P	16-30 in	Orange	July-Aug	MD	AS	Monarch larval host, dry prairie, meadow, sand barrens, essential for monarchs, tolerates some tree cover or very dry sunny conditions, neon orange flower		\$ 4.50	

Latin Name	Common Name	Sun (Full, Part, Shade)	Height	Bloom	Time	Moisture (Wet-Mesic-Dry)	Soil (All-Sand-Clay-Loam)	Habitat and Information	3.25" x 4"	4.25 x 5" jumbo pot	5.5 x 6" 1 gal pot
<i>Asclepias verticillata</i>	Whorled Milkweed	F-P	1-2 ft	White	Jul-Sep	D	AS	An interesting milkweed, indicator of Tall Grass Prairies. All milkweeds are larval host to Monarchs		Coming Soon	
<i>Asclepias viridiflora</i>	Green Comet Milkweed	F	1-3 ft	Green	Jun-Sep	D	AS	An interesting milkweed of extreme Southwestern Ontario. All milkweeds are larval host to Monarchs		Coming Soon	
<i>Asimina triloba</i>	Paw Paw	P-S	20 Ft	Red	Apr-May	M	L	Fruiting tree that bears highly edible potato-like fruit. Flowers bloom in spring at or before leaves. Requires 2nd tree for fruiting.			Coming Soon
<i>Asplenium scolopendrium</i>	Hart's Tongue Fern	S	1-2 ft	n/a	May-Jul	WMD	L	Found on the escarpment on mossy calcareous rocks. Although robust, very secure in Grey Bruce it is a species of special concern due to its limited range	Coming Soon		
<i>Aster laevis</i>	Smooth Aster	F-P	2-4 ft	Purple	Aug-Oct	WMD	AS	Prairie, meadow, alvar limestone pavement, wet to dry conditions, showy, rubbery leaf is also bluish green changing to dark purple when stressed	\$ 3.20		
<i>Aster macrophyllus</i>	Large Leaved Aster	P-S	2-4 ft	White	Jul-Oct	WMD	AC	Woodlands, open woods, calcareous rocky soils, fall shade blooms, large leaf a great substitute for hostas and makes excellent weed fighting groundcover	\$ 3.20		
<i>Astragalus canadensis</i>	Canada Milk Vetch	F-P	1-3 ft	Cream	May-Jul	WMD	A	Moist to dry areas along stream banks, also open mixed woods, meadows, a nitrogen fixer, showy			Coming Soon
<i>Baptisia australis</i>	Wild Blue Indigo	F-P	3-4 ft	Blue	May-June	MD	A	An almost native. Does not extend its range into Ontario (as per official Ontario Plant List). A very popular plant in all nurseries			Coming Soon
<i>Bouteloua curtipendula</i>	Side Oats Gramma	F	1-3 ft	n/a	Jun-Aug	MD	AS	Distinctive arrangement of seed spikes hanging from the side of the stem. Autumn colours of sunset red or rust		\$ 7.00	
<i>Brachyelytrum erectum</i>	Bearded Shorthusk	P-S	1-3 ft	n/a	Jun-Aug	WM	AS	A woodland grass of sandy sheild habitats, in average to moist conditions, a new one for native nurseries	\$ 3.20		
<i>Bromus ciliatus</i>	Fringed Brome	F-P-S	2-4 ft	n/a	July-Sep	WMD	AS	Habitat ranges from mixed forest to calcaeous fen, river and lakes, and meadows. Attractive pendulus seedhead	\$ 3.20		
<i>Bromus kalmii</i>	Kalm's Brome	2-3 ft	2-4 ft	n/a	Jul-Sep	WMD	A	Full sun to wooded areas with either wet to dry habitats including prairies, savannahs, fens, open woods	\$ 3.20		
<i>Calamintha arkansanas</i>	Wild Calamint	F	3-6"	Pink	May-June	MD	A	This small plant is extremely aromatic with foot traffic, makes its home on the alvars of the Bruce Peninsula. Excellent rock garden plant, ground cover	\$ 3.20		
<i>Camaedaphne calyculata</i>	Leatherleaf	F	1-4 ft	White	Apr-Jun	WM	S	A bog plant, small leathery and grey-green leaved. In the Ericaceae family. Habitat includes acidic bogs, robust colonizer of rocky lake banks and in acidic fen habitats			\$ 12.00
<i>Camassia scilloides</i>	Wild Hyacinth	F-P	2-3 ft	White	May-Jun	WM	AL	A rare plant of extreme southern Ontario. Nursery propagated only. Prefers woodland part shade margins, shrubby thickets. Loam required	Coming Soon		
<i>Campanula americana</i>	Tall Bellflower	F-P	2-5ft	Blue	Jul-Oct	MD	AS	Well drained, sandy soil, indicator species of Tall Grass Prairies, moist and shady margins of riparian habitats. Biennial		Coming Soon	
<i>Campanula rotundifolia</i>	Harebell	F	1-2 ft	Blue	Jun-Sep	D	A	A small delicate perennial flowing like green hairs in the wind in large groups in gardens. Found in sandy, and short grass meadows, alvars, alpine, rocky crevices	\$ 3.20		
<i>Canada Bluejoint</i>	Calamagrostis canadensis	F-P	3-4 ft	n/a	Jun-Aug	WM	A	Quite common in wetlands, interesting blueish leaves and stalks, spreading, Habitat includes wet meadow, thickets and shorelines		Coming Soon	

Latin Name	Common Name	Sun (Full, Part, Shade)	Height	Bloom	Time	Moisture (Wet-Mesic-Dry)	Soil (All-Sand-Clay-Loam)	Habitat and Information	3.25" x 4"	4.25 x 5" jumbo pot	5.5 x 6" 1 gal pot
<i>Cardemine concatenata</i>	Cutleaved Toothwort	P-S	8-16"	White	May-Jun	M	AL	Larval host to Pieris (native skipper butterfly). Great plant for butterfly conservation, invasive species Garlic Mustard crowds out these plants, and butterflies mistakenly oviposit on GM, reducing butterfly	Coming Soon		
<i>Carex aurea</i>	Golden Fruited Sedge	F-P-S	3-6"	n/a	May-Jul	WMD	A	A small sedge that is easily recognized by its golden orange round nut-like fruit. Great for both sun and almost full shade	\$ 3.20		
<i>Carex bicknellii</i>	Copper-shouldered Sedge	F-P	1-3 ft	n/a	May-Jun	MD	A	Rounded form more like long hair than grass, great in shade with gold seedhead in spring	\$ 3.20	\$ 4.50	
<i>Carex crinita</i>	Fringed Sedge	F-P	2-4 ft	n/a	n/a	WM	A	Sunny wet meadows, swamps, bogs, ditches, drooping fruiting spikes are distinctive	Coming Soon		
<i>Carex eburnea</i>	Ebony Sedge	F-P	6"-1 ft	n/a	May-Jun	MD	A	Rounded tufts of grass with coppery seedhead, great in shade gardens, great no mow grass substitute	\$ 3.20	\$ 4.50	
<i>Carex gynandra</i>	Nodding Sedge	P-S	2-4 ft	n/a	n/a	WM	A	Inhabits moist to wet bogs, swamps, wet meadows, floodplain shady habitats	Coming Soon		
<i>Carex hystericina</i>	Porcupine Sedge	F-P	1-3 ft	n/a	Jun-Jul	WM	A	A more wet loving sedge great for rain gardens, ditches, wet meadows, fens and shoreline restoration, bristly dangling blooms	\$ 3.20	\$ 4.50	
<i>Carex lacustris</i>	Lakebank sedge	F-P-S	2-5 ft	n/a	Jun-Jul	W	A	Adaptable to full sun to shade, and variety of wetland habitats, both submerged, wet, large, attractive arching growth for pond edge	\$ 3.20		
<i>Carex muskingumensis</i>	Muskingum/ Palm Sedge	F-P	2-3 ft	n/a	May-Jun	WMD	A	Exotic looking for shade and sun, helicopter-like leaves. Adapted wet bottomland habitats, very robust in wet thickets	\$ 3.20		
<i>Carex pennsylvanica</i>	Pennsylvania Sedge	F-P-S	6"-1 ft	n/a	May-Jun	MD	A	A woodland edge species, tolerating dry soil, can be used as no mow grass substitute in shaded area		\$ 4.50	
<i>Carex plantaginea</i>	Plantainleaf Sedge	P-S	6"-1 ft	n/a	May-Jun	MD	A	A sedge of deciduous and mixed forest habitats, large, much wider leaves than most, easy to identify. Elegant groundcover in shade	\$ 3.20		\$ 6.00
<i>Carex platiphylla</i>	Broad Leaved Plantain Sedge	P-S	6"-1 ft	n/a	n/a	MD	A	Bluish green leaves, in acidic forests, also in more moist habitats. Less generalist than C. plantaginea	Coming Soon		
<i>Carex scabrata</i>	Eastern Rough Sedge	F-P-S	1-3 ft	n/a	May-Jun	WM	A	A sedge of woodland and habitats in wet shady deciduous forest to open wet meadow habitats. Happy in normal garden conditions	\$ 3.20		
<i>Carex vulpinodea</i>	Fox Sedge	F-P	1-3 ft	n/a	May-Jun	WM	A	A woodland edge to full sun disturbed wet meadow habitats, the seedhead appears like a bristly fox tail, great no mow grass substitute		\$ 4.50	
<i>Castilleja coccinea</i>	Indian Paintbrush	F	6"-2 ft	Red	June-Jul	WMD	ASC	It is an alvar and rocky shoreline species that are hemi-parasitic, tapping into the roots of other plants for nutrients	Sold Out		
<i>Chelone glabra</i>	Turtlehead	F-P	2-4 ft	White	Jun-Aug	WM	ASC	A sunny wet meadow and partly shaded wetland plant that enjoys richer soil, dislikes drought in gardens			Coming Soon
<i>Cirsium discolor</i>	Field Thistle	F	3-6 ft	Pink	Aug-Sep	MD	AS	A rare thistle of disturbed damp to wet habitats, a sand dune species		Coming Soon	
<i>Claytonia caroliniana</i>	Carolina Spring Beauty	F-P-S	3-6"	Pink	Apr-Jun	M	AL	Carolinian forest species, best in well drained full sun to part shade. Corms can spread quickly to make an attractive groundcover		Coming Soon	

Latin Name	Common Name	Sun (Full, Part, Shade)	Height	Bloom	Time	Moisture (Wet-Mesic-Dry)	Soil (All-Sand-Clay-Loam)	Habitat and Information	3.25" x 4"	4.25 x 5" jumbo pot	5.5 x 6" 1 gal pot
<i>Claytonia virginica</i>	Virginia Spring Beauty	F-P-S	3-6"	Pink	Apr-Jun	M	AL	Corms spread, can self seed and create excellent groundcover. Prefers rich moist fertile soils in open wood margins and meadows		Coming Soon	
<i>Collinsonia canadensis</i>	Richweed	P-S	4- 6 ft	Yellow	Jul-Aug		AL	Smelling of citronella. Moist woodlands, edible tea and root, and interesting lush leaves, a larger forest flower		\$ 7.00	Coming Soon
<i>Comptonia peregrina</i>	Sweet-Fern	P-S	2-4 ft	Red	May-June	A	S	Common in Ontario in sandy and shield rocky habitats, makes an excellent tea. Deserves greater attention as a plant in gardens	Coming Soon		
<i>Coreopsis lanceolata</i>	Lance Leaved Coreopsis	F	1-2 ft	Yellow	May-Jul	MD	ASC	This prolific bloomer, has elegant shiny green leaves, short plant for for many types of sunny, rocky locations		\$ 4.50	
<i>Coreopsis tripteris</i>	Tall Coreopsis	F	5-7 ft	Yellow	Jul-Aug	WMD	AS	Savannah, forest edge, meadow, field, wet meadow, tall grass prairie, a giant with delicate leaves			\$ 6.00
<i>Cystopteris bulbifera</i>	Bulblet Fern	S	6"-2 ft	n/a	n/a	WM	AL	A hardy spreading fern of moist open and shady mixed and deciduous woods and streambanks. Excellent garden fern.		\$ 8.00	
<i>Danthonia spicata</i>	Poverty Oat Grass	F-P	8"-2 ft	n/a	n/a	D	AS	Easily identified in poor rocky and sandy soils by its curly basal leaves.	Coming Soon		
<i>Desmodium canadense</i>	Showy Tick Trefoil	F-P	3-6 ft	Pink	July-Sep	MD	A	In the clover family, this is one of the most showy pink flowers in Ontario. Its seeds are animal dispersed, so noted for clinging to clothing. A nitrogen fixer	\$ 3.20		\$ 6.00
<i>Dicentra canadensis</i>	Squirrel Corn	S	6"-1ft	White	n/a	M	AL	An ephemeral plant of moist deciduous woods. Distinctive feather bluish leaves, and floral appearance similar to the exotic cousin Bleeding Heart	Coming Soon		
<i>Dicentra cucullaria</i>	Dutchmen's Breeches	S	6"-1ft	White	n/a	M	AL	Moist, well drained loam. Naturalizes in large attractive clumps. Goes dormant through summer	Coming Soon		
<i>Drymocallis arguta</i>	Prairie Cinquefoil	F-P	2 ft	White	June-Sep	MD	A	Sepals fold up when seeds mature containing them. Showy creamy yellow flowers, dry poor rocky soils, early colonizer		\$ 7.00	
<i>Dryopteris cristata</i>	Crested Wood Fern	F-P-S	1-3 ft	n/a	Jun-Aug	WM	A	This fern makes its home in moist thickets of mixed or deciduous woods, or full sun wetland thickets. Tolerates regular garden soil, surprisingly hardy			
<i>Dryopteris goldiana</i>	Goldy's Wood Fern	S	3-4 ft	n/a	n/a	MW	AL	This species is a lush and attractive but rare fern of carolinian forests	Coming Soon		
<i>Dryopteris marginalis</i>	Marginal Fern	P-S	2-4 ft	n/a	Jun-Aug	WMD	ASL	Deciduous upland and mixed forests, part shade and drought tolerant		\$ 8.00	
<i>Echinacea pallida</i>	Pale Purple Coneflower	F	2.5-3 ft	Purple	Jun-Sep	MD	AS	Prairie, meadow, field, native to extreme Southwestern Ontario, rare in Ontario, nursery propagated only		\$ 4.50	
<i>Elymus canadensis</i>	Canada Wild Rye	F-P	3-5 ft	n/a	June-Aug	MD	ASC	Ornamental seed head, blue grey foliage, likes sand, prairies, dunes in moist to dry habitat, tolerates roadside ditches, and part shade woodland edges	\$ 3.20		
<i>Elymus riparius</i>	Riverbank Wild Rye	F-P-S	1-4 ft	n/a	Jun-Aug	WMD	AS	Prefers light shade, moist or medium soils, loamy. Shade tolerant. Savannahs, riverbanks, stream corridors, disturbed areas	\$ 3.20		
<i>Epilobium angustifolium</i>	Fireweed	F-P	4-5 ft	Pink/Purple	Jul-Aug	WMD	A	Beautiful, ornamental species, fire adapted. Caution: forms large colonies, may out-compete other plants	\$ 3.20		\$ 6.00

Latin Name	Common Name	Sun (Full, Part, Shade)	Height	Bloom	Time	Moisture (Wet-Mesic-Dry)	Soil (All-Sand-Clay-Loam)	Habitat and Information	3.25" x 4"	4.25 x 5" jumbo pot	5.5 x 6" 1 gal pot
<i>Equisetum hymale</i>	Scouring Rush	F-P-S	1-3 ft	n/a	Apr-May	WM	ASL	Hardy colonizer of open moist woods, sunny wetland edges, 'Jurassic' appearance, great with ferns in shade		\$ 4.50	
<i>Equisetum scirpoides</i>	Dwarf Scouring Rush	P-S	2-5"	n/a	May-June	WM	A	A very unique spiraling curly rush. Prefers shaded wet wooded swamps, riparian, peat bogs, shade			
<i>Erythronium americanum</i>	Yellow Trout Lily	P-S	3-6"	Yellow	Apr-May	WM	A	Naturalizing in full sun close to wooded areas however usually deciduous wood dwelling ephemeral. Very early yellow spring blooms	Coming Soon		
<i>Eupatorium maculatum</i>	Spotted Joe Pye Weed	F-P	3-6 ft	Pink	July-Aug	WM	ACL	Wet meadow, wet prairie, swamp, marsh, wet open woods, ditches, a giant with rose coloured showy blooms		\$ 4.50	\$ 6.00
<i>Eupatorium perfoliatum</i>	Common Boneset	F	2-5 ft	n/a	July-Sep	MD	AS	A cool season, clump forming bluish coloured grass, with excellent ornamental seedhead for winter interest	\$ 3.20	\$ 4.50	
<i>Euphorbia corollata</i>	Flowering Spurge	F-P	2-3 ft	White	Jun-Aug	MD	AS	Dry prairies, forest margins, interesting glabrous foliage, gravel and prairie soils	Coming Soon		
<i>Eurybia divaricata</i>	White Wood Aster	P-S	1.5-3 ft	White	Aug-Sep	MD	ASC	This plant makes its home at the extreme tip of Southern Ontario with populations in the Niagara area. A Species of Special Concern. Nursery propagation only	\$ 3.20	\$ 4.50	\$ 6.00
<i>Festuca saximontana</i>	Rocky Mountain Fescue	F-P	1-2 ft	n/a	May-Jul	MD	A	This is not an Ontario plant, it appears just west and east of this province. Providing a native substitute for exotic blue leaved species such as <i>Festuca glauca</i>	\$ 3.20		
<i>Fragaria virginiana</i>	Wild Strawberry	F-P-S	1-6:"	White	Apr-May	MD	AL	Forest edge, prairie, meadow, wet meadow, great for disturbed habitats, can work as ground cover in open shade and sunny areas	\$ 3.20	\$ 4.50	
<i>Galium lanceolatum</i>	Yellow Wild Licorice	F-P	1-2 ft	Yellow	Jul	MD	ASCL	Not quite a groundcover like Sweet woodruff, leaves have similar whorled formation, pink flowers. New to native plant nurseries	Coming Soon		
<i>Galium trifidum</i>	Small Bedstraw	F-P	10-16"	White	Jul	WM	ASL	One of our native woodruffs, they cling to adjacent vegetation, interesting groundcover. New to native plant nurseries	Coming Soon		
<i>Gentiana andrewsii</i>	Bottle Gentian	F-P-S	1-2 ft	Blue	Aug-Sep	WM	AL	Wet meadow, prairie, wet thickets, foliage with great structure		\$ 4.50	
<i>Gentianopsis crinita</i>	Greater Fringed Gentian	P	1-3 ft	Blue	Sep-Oct	WM	AC	Arguable the most attractive alvar plant of all, autumn flower, delicate, becoming rare. Nursery propagated only	Coming Soon		
<i>Geranium maculatum</i>	Wild Geranium	P-S	6"-2 ft	Pink	Apr-Sep	MD	AL	Deciduous woodland edge, open woods, drought tolerant, showy, vegetatively propagated	\$ 3.20	\$ 4.50	
<i>Geum triflorum</i>	Prairie Smoke	F-S	3"-1ft	Rose	May-Jun	MD	A	A small plant that grows on Alvar, a limestone pavement habitat local to the Carden and Bruce Peninsula areas. Excellent for rock gardens	\$ 3.20		
<i>Helianthus divaricata</i>	Woodland Sunflower	F-P	2-6 ft	Yellow	July-Sep	MD	ASC	A large a spreading sunflower. The sessile leaves, and smooth stems distinguish this from other species			Coming Soon
<i>Helianthemum bicknellii</i>	Bicknell's Frostweed	F-P	8"-2 ft	Yellow	Jun-Jul	MD	AS	Making its home in dry pine forest, disturbed by fire in rocky and gravel, sand soils		\$ 7.00	
<i>Helianthus strumosus</i>	Pale Leaf Woodland	F-P	2-6 ft	Yellow	Jul-Sep	MD	ASC	Woodland edge, savannah, prairie, meadow, extensive root growth, ideal for areas habitats this large plant can expand without boundaries			

Latin Name	Common Name	Sun (Full, Part, Shade)	Height	Bloom	Time	Moisture (Wet-Mesic-Dry)	Soil (All-Sand-Clay-Loam)	Habitat and Information	3.25" x 4"	4.25 x 5" jumbo pot	5.5 x 6" 1 gal pot
<i>Heliposis helianthoides</i>	False Sunflower, Oxeye Daisy	F-P	3-6 ft	Yellow	Jun-Sep	MD	AS	This yellow flowered, easily grown plant is attractive to pollinators and works well in dry sandy soils, great for larger masses in a large space			\$ 6.00
<i>Helenium autumnale</i>	Sneezeweed	F-P	2-5 ft	Yellow	Aug-Oct	WM	ASC	Wet meadows, stream, pond, riparian edge, great for rain gardens, bold yellow flower that looks like a cap. Historically used as a substitute for snuff	\$ 3.20	\$ 4.50	\$ 6.00
<i>Hepatica acutiloba</i>	Sharp Lobed Hepatica	S	2-6"	Pink	Mar-May	M	AL	Some of first flowers to bloom in spring, the bees come into the forest for these as soon as they get going. Rich in nectar. Best slightly alkaline and well drained soil		Coming Soon	
<i>Hibiscus moncheutos</i>	Swamp Rose Mallow	F-P	3-5 ft	Pink	Jul-Oct	WM	ASC	Wet meadows, great lakes shoreline species, very showy pink blooms, a species at risk, this plant is nursery propagated only	\$ 3.20		\$ 6.00
<i>Hierochloe odorata</i>	Sweetgrass	F-P	1-3 ft	n/a	Jun	WM		This grass is likes wet shores, meadows both brackish and freshwater habitats, ditches, swales. A sacred herb of First Nations in Ontario	\$ 3.20		
<i>Houstonia longifolia</i>	Long Leaved Bluets	F-P	4-10"	Blue/White	Jun-Aug	MD	AS	Infertile gravel soil alvar plant, high quality short grass prairies with little competition, open wood, a great ground cover	Coming Soon		
<i>Hydrophylla canadense</i>	Broadleaf waterleaf	S	1-3 ft	White	May-Jun	M	A	Forming large colonies in rich forests, distinctive watermark on leaves gives it its name.	\$ 4.50		
<i>Hydrophyllum virginianum</i>	Virginia Waterleaf	S	6"-1 ft	White	May-Jun	WM	A	New to nursery sales this is a wonderfully lush ground cover in loam and riparian forests. In borage family	Coming Soon		
<i>Hylodesumum glutinosum</i>	Pointed leaved tick trefoil	P-S	1-4 ft	Pink	Jun-Aug	MD	AS	Seed pods differing from the genus Desmodium, this is a more shade tolerant species sand and also rocky slopes, forest margins		Coming Soon	
<i>Hystrix patula</i>	Bottlebrush Grass	P-S	2-4 ft	n/a	June-Aug	MD	A	A grass of mostly deciduous and open wooded areas areas with attractive, soft bottle brush like flowers	\$ 3.20		
<i>Impatiens capensis</i>	Yellow Jewelweed	F-P-S	2-5 ft	Yellow	Jun-Sep	WM	A	Bursting seed capsules will no doubt impress kids, jewel weeds are very medicinal, all round excellent plants in moist habitats for both shade and sun	Coming Soon		
<i>Impatiens pallida</i>	Pale Jewelweed	F-P-S	2-5 ft	Orange	Jun-Sep	WM	A	Bursting seed capsules will no doubt impress kids, jewel weeds are very medicinal, great in moist habitats for both shade and sun	Coming Soon		
<i>Indian Grass</i>	Sorghastrum nutans	F	3-5 ft	n/a	Sep-Feb	MD	AS	Important tall grass prairies species, it is native Toronto and south. Romantic bronze plume seedheads	\$ 3.20		
<i>Iris versicolor</i>	Blue Flag Iris	F-P	1-3 ft	Blue	May-Aug	WM	A	Wet meadow, stream, pond, riparian edge, great rain garden plant, it is tolerant of some drought when established	\$ 3.20		\$ 6.00
<i>Iris virginica</i>	Pale Southern Iris	F-P	1-3 ft	Blue	June-Aug	WM	A	Wet meadow, stream, pond, riparian edge, great rain garden plant, tolerant os some drought when established			\$ 12.00
<i>Jeffersonia dyphylla</i>	Twinleaf	S	8"-16"	White	Apr	M	LC	A rare beauty. A woodland wildflower with unique two leaves attached in centre. Gorgeous flower similar to Bloodroot.	Coming Soon		
<i>Juncus balticus</i>	Baltic Rush	F-P	1-4 ft	Brown	Jun-Jul	WM	A	A circumpolar species of sunny wet and moist habitats, excellent for around ponds, riparian areas, distinct flower coming out of the side of the stem	\$ 3.20		

Latin Name	Common Name	Sun (Full, Part, Shade)	Height	Bloom	Time	Moisture (Wet-Mesic-Dry)	Soil (All-Sand-Clay-Loam)	Habitat and Information	3.25" x 4"	4.25 x 5" jumbo pot	5.5 x 6" 1 gal pot
<i>Juncus effusus</i>	Soft Rush	F	2-4 ft	Brown	Jun-Jul	WM	A	A water's edge, wetland species, tolerates normal to dry soil pulsing, great in rain gardens		\$ 4.50	
<i>Juncus tenuis</i>	Path Rush	F-P	6"-2 ft	n/a	May-Sep	WM	A	Moist open meadows, and often along hiking paths, this low growing wirey grass-like ground cover is great for many garden applications	\$ 3.20		
<i>Koeleria macrantha</i>	June Grass	F	1-2 ft	n/a	Apr-Jun	MD	A	A medium sized clump forming grass with taller substantial silver seedheads that turn golden in fall, blue green leaves	\$ 3.20		
<i>Lezpedeza capitata</i>	Rounded-Headed Bush Clover	F-P	3-6 ft	White	July-Sep	MD	A	Great tough plant for low water consumption and low soil fertility as this plant fixes its own nitrogen. Beautiful clumping form and white clover- like bloom	Coming Soon		
<i>Lezpedeza hirta</i>	Hairy Bush Clover	F-P	3-6 ft	White	July-Sep	MD	A	Typically growing in sandy prairie or meadow habitats with good drainage, nitrogen fixing	Coming Soon		
<i>Liatris aspera</i>	Rough Blazing Star	F	1-4 ft	Pink	Aug--Sept	MD	AS	Wonderfully showy blooms, excellent, savannah, prairie native to extreme Southernwestern Ontario, a rare species, nursery propagated only	\$ 3.20		
<i>Liatris cylindracea</i>	Cylindric Blazing Star	F	1-2 ft	Pink	July-Sep	MD	AS	The smaller Blazing Star, this a threatened species is nursery propagated only, occurring in largest quantities in extreme Southwestern Ontario	\$ 3.20		\$ 6.00
<i>Liatris spicata</i>	Dense Blazing Star	F	2-6.5 ft	Pink	July-Aug	MD	AS	Occurring in extreme Southernwestern Ontario, has the densest blooms, a large and a rare perennial, nursery propagated only	\$ 3.20		\$ 6.00
<i>Lillium canadense</i>	Canada Lily	F-P	1-8 ft	Orange	Jun-Aug	M	SL	Pendulous flower unlike other wild lilies in Ontario. Early summer. Thrives in rich organic soil. Striking colour	Coming Soon		
<i>Lillium michiganensis</i>	Michigan Lily	F-P	2-5 ft	Orange	Jun-Jul	WM	AS	Rounded petals and nodding flower, great for wet to normal moisture, and rich soils. Nursery propagated	Coming Soon		
<i>Lillium philadelphicum</i>	Wood Lily	F-P	1-3 ft	Orange	June-Aug	MD	ASC	Most frequently seen on Bruce peninsula in roadside ditches in very shallow gravelly soil. The smaller of the native Ontario lilies. Nursery propagated	Coming Soon		
<i>Linum medium</i>	Yellow Flax	F-P	4-20"	Yellow	Aug-Sep	MD	SC	An alvar habitat plant, poor rocky soils, poor fen, moist to dry rocky lake huron shoreline. Great rock garden species	Coming Soon		
<i>Lobelia cardinalis</i>	Cardinal Flower	F-P	2-4 ft	n/a	June-Aug	WM	A	Great for wetland restoration. For gardens, this plant tolerates a moist place by a downspout in sunny location, or normal garden soil in shade			\$ 6.00
<i>Lobelia inflata</i>	Indian Tobacco	F-P-S	6"-2 ft	Blue	July-Oct	WM	ASC	A pretty sight in both open woods, wet meadows and thickets this is a pretty plant this is still unknown in gardens	\$ 3.20		
<i>Lobelia kalmii</i>	Kalm's or Brook's Lobelia	F-P	4-16"	Blue	Jul-Sep	WMD	SC	An alvar habitat plant, poor rocky soils, poor fen, moist to dry rocky lake huron shoreline. Great rock garden species	Coming Soon		
<i>Lobelia siphilitica</i>	Great Blue Lobelia	F-P-S	2-3 ft	Blue	Aug-Sep	WM	AL	Wet meadow, stream, pond in wet sun, tolerates shade and normal to moist soil in gardens, seeds well, very elegant very upright bloom, lush large green leaves	\$ 3.20		\$ 6.00
<i>Lobelia spicata</i>	Pale Spiked Lobelia	F-P	1-2 ft	Blue	May-Aug	WM	SC	Excellent for hummingbirds. Contains lobelamine (similar to tobacco) and therefore poisonous, all species in this genus are tried and true favourite perennials in gardens	Coming soon		
<i>Lupinus perennis</i>	Wild Lupine	F-P	1-2.5 ft	Purple/Blue	May-June	D	S	Larval host for the Karner Blue butterfly, an ornamental favourite, acidophile needing dry sandy or gravel soil		\$ 4.50	



Latin Name	Common Name	Sun (Full, Part, Shade)	Height	Bloom	Time	Moisture (Wet-Mesic-Dry)	Soil (All-Sand-Clay-Loam)	Habitat and Information	3.25" x 4"	4.25 x 5" jumbo pot	5.5 x 6" 1 gal pot
<i>Lysimachia ciliata</i>	Fringed Loosestrife	F-P	2-3 ft	Yellow	Jul-Aug	MD	A	Excellent forest edge species, wet thickets, meadows, forms colonies in mixed woods, attractive whorled flower	\$ 3.20		
<i>Lysimachia quadriflora</i>	Prairie Loosestrife	F-P	1-2 ft	yellow	Jul-Aug	WMD	A	Usually found in moist open meadows and prairies, great lakes shoreline, this thin leaved small plant is great as a rock gardens	\$ 3.20		
<i>Lysimachia thyriflora</i>	Tufted Loosestrife	F-P	1-3 ft	Yellow	May-Jul	WN	SC	In nature seen in large groves, other times rare this absolute beauty will just tolerate gardens, best in naturally moist to wet conditions	Coming soon		
<i>Maianthemum canadense</i>	Canada Mayflower	P-S	2-6"	White	May-June	M	ASC	Small ground cover usually only two leaves with a small white flower head, a staple in Ontario deciduous woods	Coming Soon		
<i>Maianthemum racemosum</i>	False Solomon Seal	P-S	1-2.5 ft	White	May-June	M	ASC	Largest and most robust Ontario Solomon Seal, similar flower to the exotic 'Astilbe', great to use as a native substitute, lush green plume like leaves	Coming Soon		
<i>Marsh Marigold</i>	<i>Caltha palustis</i>	F-P	1-2 ft	Yellow	Apr-Jun	W	A	Gorgeous spring blooming wetland perennial. Needs moist to wet soils. Common in marshes, ditches wet woods throughout S Ontario		Coming Soon	
<i>Matteuccia streuthiopteris</i>	Ostrich Fern	P-S	2-4 ft	n/a	Jun-Aug	WM	AL	Moist woodland edge, open woods, edible fiddleheads in spring, produces large colonies, robust, easy care in gardens			\$ 12.00
<i>Mianthemum stellatum</i>	Starry False Solomon Seal	F-P-S	1-2.5 ft	White	May-June	WMD	ASC	Smaller 'starrier' flower than False Solomon Seal, this species is adaptable to many soil conditions and light levels, a lush, multi purpose ground cover	Coming Soon		
<i>Mimulus ringens</i>	Monkey Flower	F-P	1-3 ft	Blue/Purple	Jun-Sep	WM	A	Wet meadows, swamps, marshes, showy blooms, great for rain gardens	\$ 3.20	\$ 4.50	
<i>Mitchella repens</i>	Partridgeberry	F-P-S	3-8"	White	May-Jul	M	ASC	Shiny leaved woodland ground creeper with pinkish white flowers, eye catching berries, variable sun habitats, often in acid soils	Coming Soon		
<i>Mitella diphylla</i>	Bishop's Cap	S	8-12"	White	Apr-Jun	M	SL	Very curious flower that evolves into a small basket of seeds once mature. Similar to <i>Tiarella cordifolia</i>		Coming Soon	
<i>Mondarda fistulosa</i>	Wild Bergamot	F-P	2-4 ft	Purple	Jul-Aug	WMD	ASC	Prairie, old field, wet meadow, great for bees and pioneer habitat, edible leaves for a tea	\$ 3.20	\$ 4.50	\$ 6.00
<i>Mondarda punctata</i>	Horsemint	F-P	8"-2 ft	Pink	Jun-Jul	MD	S	Prairies, savannah's, plains, tall grass prairie habitats in extreme southwestern Ontario, and in general in sandy soils		\$ 7.00	
<i>Oenothera pilosetta</i>	Prairie Sundrops	F-P	1-2 ft	Yellow	May-Jun	WMD	A	Soil and moisture adaptable, spreading, prairie and meadows, roadsides, showy blooms		Coming Soon	
<i>Oenothera speciosa</i>	Pink Evening Primrose	F-P	2 ft	Yellow	May-Jul	WMD	A	Unique pink blooming primrose in dry to normal soil, spreading through root or seed		Coming Soon	
<i>Oenothera biennis</i>	Evening Primrose	F-P	3-5 ft	Yellow	Jun-Sep	MD	A	Night flowering primroses often close their bloom during daylight saving them to be pollinated by moths. Moths largely unsung heroes that need to be supported similarly to other pollinators	Coming Soon		
<i>Oenothera pilosetta</i>	Meadow Sundrops	F-P	1-2 ft	Yellow	Jun-Jul	WMD	A	Flowers in day, rooting through rhizomes to create bushy appearance, dry roadsides, gravel poor soil		Coming Soon	
<i>Opuntia humifusa</i>	Eastern Prickly Pear	F	6"	Yellow	Jun-Jul	MD	A	Assessed as endangered in 2008. Grows in dry open and sunny areas with no competition in shade or rock, forest rocky upland. Nursery propagated, not wild collected	Coming Soon		

Latin Name	Common Name	Sun (Full, Part, Shade)	Height	Bloom	Time	Moisture (Wet-Mesic-Dry)	Soil (All-Sand-Clay-Loam)	Habitat and Information	3.25" x 4"	4.25 x 5" jumbo pot	5.5 x 6" 1 gal pot
<i>Osmorhiza claytonii</i>	Sweet Cicely	P-S	1.5-2 ft	White	May-Jun	WMD	A	Taken as tea, for asthma, brochial and many other issues. Sweet cicely does not have anise fragrance. Smooth stems	Coming Soon		
<i>Osmorhiza longistylis</i>	Aniseroot	P-S	1.5-2 ft	White	May-Jun	WM	A	Has Anise fragrance when leaves are crushed, very similar to O. longistylis. Hairy stems	Coming Soon		
<i>Osmunda cinnamomea</i>	Cinnamon Fern	S	2-3 ft	n/a	n/a	WM	S	Absolutely stunning glowing orange fertile frond, grows best in wet mixed and deciduous swamps, more common in sandy soil			\$ 8.00
<i>Osmunda claytoniana</i>	Interrupted Fern	S	2-3 ft	n/a	n/a	WM	S	Fertile leaves in centre of non fertile fronds. Grow in mostly shaded riparian habitats, floodplain woods in sandy soil	Coming Soon		
<i>Osmunda regalis</i>	Royal Fern	F-P-S	2-4 ft	n/a	n/a	WM	S	Unique because of its height and bushy habit, similar to a shrub. Excellent in moist soil in sun or shade			\$ 8.00
<i>Packera obovatus</i>	Round-leaved Ragwort	F-P	1-1.5 ft	Yellow	Apr-Jun	WMD	S	Ragwort of sand dunes, also uniquely showy and spreading ground cover in shady dry or moist sand	Coming Soon		
<i>Packera paupercula</i>	Balsam Ragwort	F-P	6"-1 ft	Yellow	Jul-Aug	MD	ASC	This is a dominant plant on the rocky shorelines of the Great Lakes. Small yellow daisy like flower, great for rock gardens	Coming Soon		
<i>Panicled Tick Trefoil</i>	Desmodium paniculatum	F-P	1-3ft	Pink	Jul-Sep	WMD	S	A smaller desmodium, still clings to clothing, showy pink flower helps its popularity	Coming Soon		
<i>Panicum virgatum</i>	Switch Grass	F	2-7 ft	Brown	Aug-Nov	WMD	ASC	Prairie, meadow, field, wet meadow, dunes, successful pioneer species	\$ 3.20	\$ 4.50	\$ 6.00
<i>Parnassia glauca</i>	Grass of Parnassus	F-P	6"-1 ft	White	Aug-Oct	WMD	A	A small rock garden rare beauty, needs room to grow without competition among rocky alvar type or poor calcareous gravel or sand moist habitats	Coming Soon		
<i>Parthenium integrifolium</i>	Wild Quinine	F-P	1-3ft	White	Jun-Jul			Wild Quinine used to treat malaria by first nations and U.S. army, interesting showy white blooms, and bee favourite	Coming Soon		
<i>Pedicularis canadensis</i>	Wood Betony	F-P	6"-1 ft	White	Apr-May	WMD	A	Hairy fern-like leaves, partially parasitic and slow growing. Host plants are asters and native grass	Coming Soon		
<i>Peltandra virginica</i>	Bog Arum	F-P	1-2 ft	Green	Apr-Jun	W	A	Submergent to emergent in aquatic bogs, marsh, ponds, lakes		\$ 8.00	
<i>Penstemon digitalis</i>	Foxglove Beardtongue	F-P	2-3 ft	White	June-Aug	MD	AL	Savannah, prairie, meadow, field, drought tolerant, showy	\$ 3.20	\$ 4.50	
<i>Penstemon hirsutus</i>	Hairy Beardtongue	F-P	1-3 ft	Purple/Pink	May-July	MD	AL	A great drought tolerant smaller perennial, great for hummingbirds, dry prairie/ savannah	\$ 3.20	\$ 4.50	\$ 6.00
<i>Penthorum sedoides</i>	Ditch Stonecrop	F-P	1-3 ft	White	Jul-Sep	WM	A	A wetland edge species this is one that should surely thrive in gardens with its white showy raceme-like blooms, and red fruit	\$ 3.20		
<i>Phlox divaricata</i>	Wild Blue Phlox	P-S	1-3 ft	Pink/Purple	May-June	MD	AS	Making its home in upland forests, it has an early bloom, similar bloom to periwinkle, not a spreading plant	\$ 3.20		
<i>Phryma leptostachya</i>	Lopseed	P-S	1-2 ft	Pink	Jun-Aug	WM	AS	An interesting branching flower spike of diminutive pink flowers. Moist to medium open or shaded rich woods		\$ 7.00	

Latin Name	Common Name	Sun (Full, Part, Shade)	Height	Bloom	Time	Moisture (Wet-Mesic-Dry)	Soil (All-Sand-Clay-Loam)	Habitat and Information	3.25" x 4"	4.25 x 5" jumbo pot	5.5 x 6" 1 gal pot
<i>Physalis heterophylla</i>	Clammy Ground Cherry	P-S	1-2 ft	Yellow	June-Aug	MD	A	A plant of sandy prairies, roadsides, waste areas. Fruit is a berry that ripens to orange, and is edible when mature	\$ 3.25		
<i>Physostegia virginiana</i>	Obedient Plant	F-P	2-4 ft	Pink	Aug-Sep	WM	AL	Excellent for a wide variety of gardens, often see on sand dunes, wet thickets, meadows, quickly spreading	\$ 3.20	\$ 4.50	
<i>Phytolacca americana</i>	Pokeweed	F	3-5 ft	White	Jun-Oct	MD	A	Edible and used as purple dye by first nations. Especially popular in southern states as a leafy green. Note, edible only with special preparation	\$ 3.20		
<i>Podophyllum peltatum</i>	May Apple	F	1-3 ft	White	May-June	M	L	A beautiful lily pad leaf, this plant makes a bold and lush alternative to hostas in a large colony in a shade garden		\$ 8.00	
<i>Polystichum achrostichoides</i>	Christmas Fern	S	1-2 ft	n/a	n/a	MD	AC	Evergreen under snow, hence the name when used by pioneers for Christmas gardlands. Smaller slow growing but fairly robust in dry to normal soil. Interesting arching fronds		\$ 10.00	
<i>Polygala seneca</i>	Seneca Snakeroot	F-P	6"-2 ft	White	Jun-Jul	MD	ASC	An alvar species in Grey Bruce, this plant is fun to see in intact habitats. New to native plant nurseries. Interesting bud-like flower also appears like a rattlenake tale	Coming Soon		
<i>Polygonatum biflorum</i>	Smooth Solomon's Seal	F	1-3 ft	White	May-July	M	L	A smaller version than the very popular European Solomon Seal carried at garden centres		Coming Soon	
<i>Polypodium virginianum</i>	Polypody Fern	S	6"-1 ft	n/a	n/a	MD	AC	Gorgeous small robust fern often on top of large bouders on Karst topography of Grey Bruce. Clump forming. Distictive alternate pinnules	Coming Soon		
<i>Pycnanthemum incanum</i>	Hoary Mountain Mint	F-P	2-3 ft	White	Jul-Sep	MD	A	Flower sometimes white tinged with purple spot, mint tinged with oregano tasting. Excellent for pollinators	Coming soon		
<i>Pycnanthemum pilosum</i>	Hairy Mountain Mint	F	2-3 ft	White	Jul-Sep	MD	AC	Edible minty leaves, globe-like flowers, excellent pollinator plant. Rare species, nursery propagated only		\$ 4.50	
<i>Pycnanthemum tenuifolium</i>	Slender Mountain Mint	F-P	2-3 ft	White	Jul-Sep	MD	A	Aromatic and edible mint of dry, open, rocky habitats. Sometimes naturalizes quickly in drought, easy to grow		\$ 4.50	
<i>Pycnanthemum virginianum</i>	Virginia Mountain Mint	F-P	2-3 ft	White	Jul-Sep	MD	A	Wet meadows, stream, pond, riparian edge, and can be invasive in wetter areas but less so in drier, prefers calcareous soil	\$ 3.20		
<i>Ranunculus abortivus</i>	Kidney Leaved Buttercup	P-S	6"-2 ft	Yellow	Apr-Jun	MD	A	A small woodland species that doesn't appear in dense stands in nature like many of its genus. A lovely yellow flower	\$ 3.20		
<i>Ranunculus rhomboideus</i>	Prairie Buttercup	F-P	2-10"	Yellow	Ap-May	MD	AS	Small very early blooming. Dry sandy prairies, open woods, rock garden associated with oak forests		\$ 7.00	
<i>Ratibida pinnata</i>	Grey Headed Coneflower	F	3-5 ft	Yellow	Jul-Sep	MD	ASC	Dry tall grass prairie habitats, quite delicate flowers and light green coloured cut leaf		\$ 4.50	\$ 6.00
<i>Rudbeckia hirta</i>	Black-eyed Susan	F	1-2 ft	Yellow	Jul-Sep	WMD	A	Tried and true popular native, this is a short lived perennial, shake seeds where you want them in garden		\$ 4.50	
<i>Rudbeckia laciniata</i>	Green-headed Coneflower	F-P-S	3-6 ft	Yellow	Jun-Sep	WMD	A	Prairie, meadow, and even shaded swamps, a GTA native, edible, showy plant, seeds itself readily	\$ 3.20	\$ 4.50	\$ 6.00
<i>Sanguinaria canadensis</i>	Bloodroot	P-S	6"-1 ft	White	Apr-May	M	AL	A beautiful spring ephemeral with large rounded leaves, excellent in shade gardens. Can form large colonies on deciduous forest floor		Sold Out	

Latin Name	Common Name	Sun (Full, Part, Shade)	Height	Bloom	Time	Moisture (Wet-Mesic-Dry)	Soil (All-Sand-Clay-Loam)	Habitat and Information	3.25" x 4"	4.25 x 5" jumbo pot	5.5 x 6" 1 gal pot
<i>Schizachyrium scoparium</i>	Little Bluestem	F	2-3 ft	Brown	Aug-Oct	WMD	ASC	Savannah, prairie, meadow, drought and wet tolerant, calcareous soil. A native substitute for common exotic blue leaved species such as <i>Festuca glauca</i>		\$ 4.50	
<i>Scirpus atrovirens</i>	Black Bulrush	F	4-5 ft	n/a	Jun-Jul	WM	A	Common wetland rush, shoreline aquatic pioneer species, important food and cover for wildlife	Coming Soon		
<i>Scirpus cyperinus</i>	Wool Grass	F	3-6 ft	n/a	June-Sep	W	A	A wet shoreline emergent species, great for riparian and full sun wet pond side and meadow habitats	\$ 3.20		
<i>Scrophularia marilandica</i>	Figwort/ Carpenter's Square	F	5-10 ft	n/a	Jul-Sep	M	A	Prefers loose loamy soil, moist woodland edge, sandy prairie and meadow, tolerates some disturbance,, abundant food for bees and hummingbirds		\$ 7.00	
<i>Scutellaria lateriflora</i>	Mad Dog Scullcap	P-S	2-3 ft	Blue	July-Sep	WM	A	A plant of riparian areas, shorelines, open full sun wet thickets, marshes. Great for shoreline restoration. A significant plant for herbalists		\$ 4.50	
<i>Senna hebecarpa</i>	Wild Senna	F-P	4-5 ft	Yellow	Jul-Aug	WM	A	Nitrogen fixing, makes a large colony with showy yellow flowers. Larval host for many sulphur butterfly species.		Coming Soon	
<i>Silphium laciniatum</i>	Compass Plant	F	5-12 ft	Yellow	Jul-Sep	MD	AS	Well drained soils, seeds attractive to wildlife, sandy tall grass prairie, meadow savannah. Extreme southwestern Ontario		Coming Soon	
<i>Silphium perfoliatum</i>	Cup Plant	F	5-9 ft	Yellow	Jul-Sep	WMD	ASC	Huge plant that holds water in cup shaped leaves, great for large spaces, great as natural water reservoirs for birds and insects in gardens			\$ 6.00
<i>Silphium terebinthinaceum</i>	Prairie Dock	F	4-9 ft	Yellow	Jul-Sep	WMD	AC	A unique plant with small flowers paired with its huge leaves over 2 feet tall. Strikingly beautiful in wet meadow and dry tall grass prairie habitat	Coming Soon		
<i>Sisyrinchium montanum</i>	Blue-eyed Grass	F-P	6"-1 ft	Blue/Purple	May-Jul	WMD	A	Great Lakes shoreline, alvars, sweet plant in iris family, similar looking to grass, great for rock gardens, bloom closes at night		\$ 4.50	
<i>Solidago caesia</i>	Blue-Stemmed Solidago	P-S	2-3 ft	Yellow	Aug-Oct	MD	AL	Open deciduous woods, drought tolerant attractive fall bloomer		\$ 4.50	
<i>Solidago flexicaulis</i>	Zig Zag Solidago	P-S	2-3 ft	Yellow	Sep-Oct	MD	ASC	Open woods, deciduous forests, lush dark green leaves, fall bloomer	\$ 3.20	\$ 4.50	
<i>Solidago graminifolia</i>	Grass-leaved Goldenrod	F-P	2-4 ft	Yellow	Jul-Oct	WM	A	Meadow, prairie, field, flat topped flower, is one of the most delicate leaved goldrods, not used enough in gardens	Coming Soon		
<i>Solidago ohioensis</i>	Ohio Goldenrod	F	3-4 ft	Yellow	Aug-Sep	MD	AS	A usually compact goldenrod of dunes, sandy shoreline and riparian areas. Shiny leaved, and flat topped flower. Excellent garden potential, great for fall pollinators	Coming Soon		
<i>Solidago ptarmicoides</i>	Upland White Aster	F-P	6"-1 ft	White	July-Sep	WMD	AS	Calcareous soil, alvars, Bruce Peninsula shoreline, a small plant, makes colonies of thin dark green leaves	Coming Soon		
<i>Solidago rigida</i>	Stiff Goldenrod	F	3-5 ft	Yellow	Aug-Sep	MD	A	Open woods, prairie, meadow, more common in prairie habitat through extreme southwestern Ontario		\$ 4.50	
<i>Solidago uglinosa</i>	Bog Goldenrod	F	2-5 ft	Yellow	Aug-Sep	WM	AS	Enjoys slightly acidic, well drained soil. A wand like vertical stem, and showy yellow flowers	Coming Soon		
<i>Sorghastrum nutans</i>	Indian Grass	F	3-6 ft	Yellow	Aug-Sep	WMD	ASC	Savannah, tall grass prairie, wet meadow, attractive copper plumes	Coming Soon		

Latin Name	Common Name	Sun (Full, Part, Shade)	Height	Bloom	Time	Moisture (Wet-Mesic-Dry)	Soil (All-Sand-Clay-Loam)	Habitat and Information	3.25" x 4"	4.25 x 5" jumbo pot	5.5 x 6" 1 gal pot
<i>Spartina pectinata</i>	Prairie Cord Grass	F	4-7 ft	n/a	Jul-Aug	WM	AS	Large wetland grass although tolerant of sandy and rocky habitat can withstand some drought. Attractive seedhead. Spreading		\$ 7.00	
<i>Sporobolus crypandrus</i>	Sand Dropseed	F	1-3 ft	n/a	Aug-Oct	D	S	Dry sand, disturbed prairie soils. Smaller, clump forming and with showy seedheads, Ontario <i>Sporobolus</i> species are becoming commonly used by horticulturists for a variety of gardens		\$ 7.00	
<i>Sporobolus heterolepis</i>	Prairie Dropseed	F	2-3 ft	n/a	Aug-Oct	MD	ASC	This plant likes moist to dry and gravelly or sandy, and rocky places. One of the more compact and ornamental grasses in Ontario		\$ 4.50	
<i>Stylophorum diphyllum</i>	Celandine Poppy	S	1-1.5 ft	Yellow	Apr-Jun	WM	AL	Stems contain bright orange sap historically used as dye. Semi ephemeral, easily naturalizing in open and full shade deciduous woods			Coming Soon
<i>Symphlocarpus foetidus</i>	Skunk Cabbage	F-P-S	2-3 ft	Yellow	Feb-Apr	WM	ASL	A unique plant that blooms in winter due to its heating capacity. All parts of the plant give off skunky odour when plant is damaged	Coming Soon		
<i>Taenidia integerrima</i>	Yellow Pimpernel	F-P	2-3 ft	Yellow	July-Aug	WMD	ASC	Wet open forest, prairie, meadow, a bloom like yellow fireworks, rare, nursery propagated only	\$ 3.20	\$ 4.50	
<i>Thalictrum dioicum</i>	Early Meadow Rue	S	1-3 ft	Wht/Grn	Apr-May	WM	AL	A common woodland plant alongside trillium, jack in the pulpit and other deciduous species, small yellow purple bloom	\$ 3.20	\$ 4.50	
<i>Thalictrum pubescens</i>	Tall Meadow Rue	F-P	2-5 ft	Cream	July	WM	AL	Forest edge, wet prairies, meadows, fields, rocky shorelines, riparian in sun to almost full shade, large white flower, similar to columbine's blue green foliage, a gem in a lush shady to full sun location	\$ 3.20		
<i>Thelypteris palustris</i>	Marsh Fern	F-P	2.5 ft	n/a	n/a	WM	ASC	A fern of moist woods, thickets, open wet meadows. Common in both sandy and calcareous soils, does not tolerate drought	Coming Soon		
<i>Tiarella cordifolia</i>	Foam Flower	P-S	3"-1 ft	Cream	Apr-May	WM	AL	Spreading ground cover producing cream coloured drifts of blooms in deciduous forests, vegetatively propagated	\$ 3.20	\$ 4.50	
<i>Tradscantia ohioensis</i>	Ohio Spiderwort	F-P-S	2-3 ft	Blue	May-Jul	MD	AS	Uncommon blue flower. Stands out and has been a staple in many nurseries. Extremely drought tolerate and robust, shade tolerant. Savannahs, tall grass prairies, meadows in extreme southwestern Ontario			Coming Soon
<i>Triadenum frazerii</i>	Frazer's Mash St. John's Wort	F-P	1-2 ft	Pink	Jul-Aug	WM	ASC	Often seen with the rose coloured seedheads, has attractive glaucous leaves, a common species especially on sandy shores, bogs, fens	\$ 3.20		
<i>Triantha glutinosa</i>	Sticky False Asphodel	F-P	6"=1 ft	White	Jun-Aug	WMD	ASC	Fens, moist calcareous rocky high value alvar and short grass wet meadows, thought to be insectivorous due to sticky hairs on upper stem	Coming Soon		
<i>Trillium grandiflorum</i>	Trillium	S	6"-1 ft	White	Apr-May	MD	AL	Ontario's emblem, ephemeral flowers bloom in deciduous forests first thing in spring, and recede through summer			Coming Soon
<i>Typha latifolia</i>	Broadleaf Cattail	F-P	4-8 ft	n/a	Apr-Jun	WM	A	An important plant of disturbed wetland habitats that is valued as it is almost successful competing with the most invasive plants in Ontario. Some exotic invasive cattails also occur in Ontario. This is the native			Coming Soon
<i>Uvularia grandiflora</i>	Great Flowered Bellwort	S	1-2 ft	Yellow	Apr-May	WMD	L	Deciduous forest plant with attractive blooms and foliage, similar leaves to Solomon Seal species	Coming Soon		
<i>Verbena hastata</i>	Blue Vervain	F	2-6 ft	Purple	Jul-Sep	WM	ACL	Wet marsh and meadow plant with very attractive purple blooms, edible, and works well with sage type plants very popular in gardens currently	\$ 3.20	\$ 4.50	
<i>Verbena simplex</i>	Slender Vervain	F	1-2.5 ft	Purple	Jun-Aug	MD	ASC	Dry calcareous habitat. The smallest of the three Vervain, adapted to rocky dry soil. Similar showy purple flower.	\$ 3.20	\$ 4.50	\$ 6.00

Latin Name	Common Name	Sun (Full, Part, Shade)	Height	Bloom	Time	Moisture (Wet-Mesic-Dry)	Soil (All-Sand-Clay-Loam)	Habitat and Information	3.25" x 4"	4.25 x 5" jumbo pot	5.5 x 6" 1 gal pot
<i>Verbena stricta</i>	Hairy Vervain	F	1-3 ft	Purple	Jul-Sep	MD	AS	Great for dry prairie, meadow gardens, the grey green leaf is a great multi purpose companion to lavender and other sage-like plants	\$ 3.20	\$ 4.50	\$ 6.00
<i>Vernonia noveboracensis</i>	New York Ironweed	F-P	4-7 ft	Purple	Sep	WM	AS	Tall grass prairie plant of extreme Southwestern Ontario, adaptable to wet and dry, the large and very attractive dark purple blooms are attractive to insects			\$ 6.00
<i>Veronia missourica</i>	Missouri Ironweed	F-B	4-7 ft	Purple	Sep	WM	AS	Hybrids readily hybridize. The leaves are lush and bluish green, attractive with sages			\$ 6.00
<i>Veronia altissima</i>	Tall Ironweed	F-P	4-7 ft	Purple	Sep	WM	AS	Hibrids occur with Ironweeds. A tall grass prairie species inhabiting wet prairies and meadows. Showy lush blueish green leaf, attractive seedhead in the fall			
<i>Veronicastrum virginicum</i>	Culver's Root	F-P	3-6 ft	White	Jun-Jul	WM	ASL	Wet prairie, meadows, very showy flower, lush grey blue leaves	\$ 3.20	\$ 4.50	\$ 6.00
<i>Viola papilionacea (sororia)</i>	Common Blue Violet	P-S	1-2 ft	Yellow	April-June	MD	A	A hardy yellow violet that makes great colonies in deciduous forest. Great for a normal to dry shade garden	\$ 3.20		
<i>Zigadenus elegans</i>	Death Camas	F	6"-3 ft	White	Jun-Aug	MD	AS	There are many plants in nature that are toxic, caution should be taken at all times for this plant. It is arguably one of the more beautiful Ontario natives	Coming Soon		
<i>Zizia aurea</i>	Golden Alexanders	F-P	12"-3 ft	Yellow	Apr-Jun	WMD	ASC	Great for mass plantings in sun or part shade, wet meadow, prairie	\$ 3.20	\$ 4.50	
<b>Trees, Shrubs and Vines</b>											
<i>Amelanchier canadensis</i>	Serviceberry	F-P	20-30 ft	White	Apr-May	MD	A	Early successional for restoration, highly edible, very attractive shrub, one of the most widely used natives in landscape design. Species hybridize, making i.d. challenging			\$ 18.00
<i>Amelanchier humilis</i>	Low Serviceberry	F	1-3 ft					Smallest Serviceberry in province. All species hybridize. Woodlands, forest edge, rocky and sandy bluffs, shoreline. Hybrids of Amelanchier create difficulty in identification.			
<i>Aronia melanocarpa</i>	Chokeberry	F-P	3-6 ft	White	May	WMD	AS	Highly desirable smaller height, edible fruit, attractive white flowers in spring, and shiny leaves that turn bright red in fall			\$ 18.00
<i>Ceanothus americanus</i>	New Jersey Tea	F-P	2-3 ft	White	Jun-Aug	MD	A	Larval host to Karner Blue Butterfly. Excellent sub for hydrangea. Tolerates shade. Sandy soil is preferred.			\$ 12.00
<i>Celastrus scandens</i>	American Bittersweet	P-S	15-20 ft	White	Apr-May	MD	A	An attractive vine, has interesting coloured seed capsule and orange and yellow berries and capsule			Coming Soon
<i>Cornus alternifolia</i>	Pagoda/ Alternate Leaved Dogwood	F-P-S	12-25 ft	White	May-Jun	MD	A	Open woods, forest edge, thickets, floodplain, mixed and deciduous, very ornamental branching pattern			\$ 12.00
<i>Cornus amomum</i>	Silky Dogwood	F-P	10-15 ft	White	Apr-Jun	WM	A	A shrub dark red branches, similar habitats and appearance to Red Osier but often larger, identified by brown inner pith in twigs			\$ 12.00
<i>Cornus canadensis</i>	Bunchberry	P-S	3-6"	White	May-Sep	WMD	A	A small species of shrub, looks like a perennial ground cover. Distinctive red berries and rosette of shiny veined leaves. Excellent choice for shady groundcover		Coming Soon	
<i>Cornus florida</i>	Flowering Dogwood	P	10-36 ft	White	Apr-May	M	AS	An exceptionally popular small tree or large shrub because of its flowers. Needs good air flow or else susceptible to powdery mildew, prefers sandy soils.			\$ 12.00

Latin Name	Common Name	Sun (Full, Part, Shade)	Height	Bloom	Time	Moisture (Wet-Mesic-Dry)	Soil (All-Sand-Clay-Loam)	Habitat and Information	3.25" x 4"	4.25 x 5" jumbo pot	5.5 x 6" 1 gal pot
<i>Cornus racemosa</i>	Grey Dogwood	F-P	3-8 ft	White	Jun-Jul	MD	A	Average to dry soil in open woods, savannahs, thickets			\$ 12.00
<i>Cornus rugosa</i>	Round Leaved Dogwood	F-P	6-10 ft	White	Jun-Jul	MD	A	Prefers understory of upland deciduous or mixed forest slopes, rocky bluffs, prefers open woods			\$ 14.00
<i>Cornus sericea</i>	Red Twig / Red Osier Dogwood	F-P	6-9 ft	White	May-Jun	WMD	A	Most at home in wet to mesic full sun sites, excellent for early restoration projects, striking red twigs used for winter boughs in pots			\$ 12.00
<i>Corylus americana</i>	American Hazelnut	F	6-10 ft	Red	Apr-May	MD		Likes open thickets, wood edges, slopes, rocky hillsides and sandy, gravelly well drained soils, edible			\$ 18.00
<i>Corylus cornuta</i>	Beaked hazelnut	F	4-8 ft	White	Apr	M	ASL	Acidic, rich moist full sun habitats. Forms thickets. Not always winter hardy in open locations. Edible.			Coming Soon
<i>Diervilla lonicera</i>	Low Bush Honeysuckle	F-P-S	2-3 ft	Yellow	Jun-Aug	MD	ASL	Open woods, calcareous soils, smaller shrub great for massing, edible yellow flower			\$ 12.00
<i>Dioscorea villosa</i>	Wild Yam	F-P-S	15 ft	Yellow/white	Jun-Jul	WM	AL	A twining vine that has many herbal benefits including use for arthritis, digestion, pain relief	\$ 3.20	\$ 4.50	\$ 9.00
<i>Dirca palustris</i>	Leatherwood	S	3-6 ft	Yellow	Apr-May	M	AL	A more acidic deciduous woodland, bog, or marsh shrub, prefers normal to moist soil, interesting early spring flowers, and uniquely pliable branches			\$ 12.00
<i>Euonymus obovatus</i>	Running Strawberry Vine	S	1-3ft	White/Pink	May-Jun	WMD	AL	Interesting groundcover, carolinian forest stoloniferous shrub, excellent substitute for other non native Euonymous	Coming Soon		
<i>Euonymus atropurpureus</i>	Eastern Wahoo	F-P	12-36 ft	Purple	May-Jun	WMD	AL	One of a few Ontario Euonymous, this one is a small tree shrub. Its northern range is extreme Southerwestern Ontario. Floodplains, streambanks	Coming Soon		
<i>Gaultheria procumbens</i>	Wintergreen	F-P	6"-1 ft	White	Jul	MD	AS	Low growing groundcover with edible and sweet wintergreen flavour. Makes a great tea. Prefers acidic soil. Attractive shiny leaves	Coming Soon		
<i>Hamamelis virginiana</i>	Witch Hazel	F-P-S	20 ft	Yellow	Oct-Dec	MD	AS	Very interesting yellow flower blooms after leaves drop in late fall. Steambanks, moist ravines often in sandy soils			\$ 12.00
<i>Hypericum ascyron</i>	Great St. John's Wort	F-P-S	3-6 ft	Yellow	Jun-Aug	WM	AC	Moist streambanks, thickets and loamy forest edges			\$ 12.00
<i>Hypericum kalmianum</i>	Kalm's St. John's Wort	F-P	2-3 ft	Yellow	Jul-Aug	MD	A	Rocky shore, meadow, field, wet or dry, grey blue leaves and interesting form, great lakes shoreline species	\$ 4.50		
<i>Illex mucronata</i>	Mountain Holly	F-P	3-15 ft	White	May-Jun	WM	S	Little seen in nurseries for the moment, this very light green leaved plant is unique in sandy rocky soils. Holly family, great red berries in fall			\$ 16.00
<i>Illex verticillata</i>	Winterberry Holly	F-P-S	3-12 ft	White	Jun-July	WM	ASC	Wetland species of holly native to Ontario, attractive red berries in fall and winter. Male and female needed.	Coming Soon		
<i>Juglans cinera</i>	Butternut DNA Tested Parent	F-P-S	40-60 ft	n/a	May-June	M	ASCL	Butternuts are hybridizing with other eurasian species, and they are endangered as a result. The tested parent assures at least one parent is true to species			\$ 40.00
<i>Juniperus communis</i>	Common Juniper	F-P	4-6 ft	n/a	May	D	SC	Associated with alvar habitats in this area this large spikey plant is found in poor to little soil habitats both sand and calcareous			Coming Soon

Latin Name	Common Name	Sun (Full, Part, Shade)	Height	Bloom	Time	Moisture (Wet-Mesic-Dry)	Soil (All-Sand-Clay-Loam)	Habitat and Information	3.25" x 4"	4.25 x 5" jumbo pot	5.5 x 6" 1 gal pot
<i>Juniperus horizontalis</i>	Creeping Juniper	F-P	1-3 ft	n/a	May	D	SC	Excellent ground cover, this low growing dune and rocky alvar species of low or no soil is a great addition to no water gardens			Coming Soon
<i>Juniperus virginiana</i>	Red Cedar	F-P	15-60 ft	n/a	May	D	SC	Smaller to larger depending on soil type. Fragrant grey green foliage, often seen in Grey Highlands. Dry rocky limestone adapted			\$ 12.00
<i>Lindera benzoin</i>	Spicebush	F-P	6-12 ft	Yellow	Apr	WMD	A	An aromatic leaf, with showy yellow flowers in spring before leafing out. Berries. Perfect for more compact locations. Eastern Tiger Swallowtail Butterfly host			\$ 16.00
<i>Malus coronaria</i>	American Crabapple	P	12-36 ft	Pink	May-Jun	MD	A	Riparian, open woods and margins, susceptible to rust. Great food for wildlife	Coming Soon		
<i>Menispermum canadense</i>	Moonseed Vine	F-P	8-20 ft	White	May-Jul	M	AS	Resembling grapes, however all parts of plants poisonous. Interesting lush green leaves. Self supporting, robust twining habit	Coming Soon		
<i>Myrica Gale</i>	Sweet Gale	F-P	2-4 ft	Red	Apr-May	WM	S	Wax myrtle family has glossy dark green foliage. Interesting catkins. Leaves are sweet smelling, and low growing it is an interesting species for gardens			Coming Soon
<i>Myrica pensylvanicum</i>	Northern Bayberry	F-P	4-8 ft	Yellow	Jul-Oct	MD	S	Happier in acidic soil, and gets quite large at 8 ft. Attractive shiny leaves, blue berries. Can be used as hedge			\$ 18.00
<i>Physocarpus opulifolius</i>	Ninebark	F	5-8 ft	White	Jul-Aug	MD	AS	Prairie, meadow field, moist to dry, distinctive curled bark peels off easily, a great lakes shoreline species			\$ 9.00
<i>Pinus strobus</i>	White Pine	F-P	50-80 ft	n/a	Jul-Oct	MD	AS	Fast growing. One of tallest trees in North America. Habitat is upland rock, sand, or variety of soils, on water's edge, comparatively soft and plume-like needles			\$ 12.00
<i>Potentilla fruticosa</i>	Potentilla	F	5-8 ft	Yellow	Jun-Sep	MD	AS	Prairie, meadow field, wet or dry, grey blue leaves and showy yellow flowers, Lake Huron shoreline species	\$ 4.50		
<i>Prunus americana</i>	American or Wild Plum	F-P	15-25 ft	White	May	MD	A	Walnut tolerant, has very fragrant and showy blooms, edible purplish coloured fruit			\$ 18.00
<i>Prunus canadensis</i>	Canada Plum	F-P	10=16 ft	White	May-Jun	MD	A	Suckering colonies, edible peach coloured fruit, fragrant white flower, a forest species			Coming Soon
<i>Prunus pensylvanicum</i>	Chokecherry	F-P	12-30 ft	White	May-Jun	MD	A	A large shrub early colonizer of fallow croplands, edible berries, excellent insect host plant			\$ 12.00
<i>Prunus pumila</i>	Sand Cherry	F	1-6 ft	White	May-June	D	A	Well adapted to dry sandy places, spreads well through rhizomes. Excellent japanese style gnarled ground cover. Beautiful blooms before leaves emerge in spring			\$ 12.00
<i>Ptelea trifoliata</i>	Hoptree	F-P	10-15 ft	White	May	WMD	S	At one time used as hops substitute. Acidic or calcareous dry habitats. Understorey or in full sun	Coming Soon		
<i>Quercus rubra</i>	Red Oak	F-P-S	75 ft	n/a	n/a	MD	ASL	A great tree for gardeners as it is not shallowly rooted, high canopy. A dream tree for wildlife hosting over 500 species of caterpillars. Tolerates wide varieties of soil, often loam and sand	\$ 4.50		
<i>Rhus aromatica</i>	Fragrant Sumach	F-P	2-3 ft	Red	Jun-Aug	D	AS	Used in the most elegant of gardens, the red flower has a wonderful taste eaten raw and in teas. Forms thickets in open woods, glades rocky soils in both sand and calcareous			\$ 12.00
<i>Rhus copallina</i>	Winged Sumach	F-P	7-15 ft	Red	Jul-Aug	MD	A	Smaller sumach with lovely reptilian scale like wings on its branches. Found in Black oak savannah. Tolerates other soil types. Amazing fall colour			Coming Soon



Latin Name	Common Name	Sun (Full, Part, Shade)	Height	Bloom	Time	Moisture (Wet-Mesic-Dry)	Soil (All-Sand-Clay-Loam)	Habitat and Information	3.25" x 4"	4.25 x 5" jumbo pot	5.5 x 6" 1 gal pot
<i>Ribes cynobasti</i>	Prickly Gooseberry	F-P-S	2-4 ft	White	Apr-Jun	MD	A	Larval host to Green Comma butterfly. Attractive to many birds. Smooth and prickly branches, prickly berries make this plant easy to identify. Shade tolerant.	Coming Soon		
<i>Rosa acicularis</i>	Prickly Wild Rose	F-P	4-6 ft	Pink	Jun-Jul	MD	A	Mesic to dry soils along banks, thickets and rocky outcrops, this is a hardy and beautiful circumpolar species	Coming Soon		
<i>Rosa palustris</i>	Swamp Rose	F-P	3-6 ft	Pink	Jun-Jul	WM		Best grown in acidic, boggy and organically rich soil, however usually thrives in good garden soil. Great for rain gardens	Coming Soon		
<i>Rubus canadensis</i>	Smooth Raspberry	F-P	4-8 ft	White	July	MD	A	Almost no prickles. Often grows in poor soils, tolerant of disturbance and fire. Great for restoration	Coming Soon		
<i>Rubus idaeus</i>	Wild Red Raspberry	P-S	3-5 ft	White	Jun-Jul	MD	A	Most common raspberry in Ontario, open clearings, woods, meadows, edible	\$ 4.50		\$ 9.00
<i>Rubus odoratus</i>	Flowering Raspberry	F-P	3-6 ft	Pink	Jun-Aug	MD	A	Large palmate leaf is an interesting feature as well as its hairy texture, and purple flowers so different than others of the genus			\$ 12.00
<i>Rubus pubescens</i>	Dwarf Raspberry	F-P	4-6"	White	May-Jun	WM	A	Interesting edible groundcover of forests, swamps, meadows medium soil or moist habitats, tolerating sun or shade	Coming Soon		
<i>Rubus setosus</i>	Bristly Blackberry	F-P	2-3 ft	White	July	WM	AS	Damp thickets, treed wetland, a smaller blackberry for moist soil, best in well drained somewhat acidic conditions, but generally tolerant of most conditions, and gardens	Coming Soon		
<i>Salix cordata</i>	Sand Dune Willow	F	3-12 ft	n/a	May-Jun	MD	AS	On sand dunes smaller in size, but quite large in richer habitats, beautiful grey foliage. Excellent erosion control	Coming Soon		
<i>Sambucus nigra var. canadensis</i>	Common Elderberry	F-P	6-12 ft	White	May-Jun	WND	A	Tolerant of many soils and wet to dry. Edible, showy flowers and fruit, excellent for wildlife			\$ 12.00
<i>Shepherdia canadensis</i>	Buffalo Berry	F	1-10 ft	Yellow	Apr/May	MD	A	Also named soapberry due to its fruit that froth when mixed, was used as soap historically. Dry sun filled rocky open woods, riparian and cliff edges	Coming Soon		
<i>Smilax herbacea</i>	Carrion Flower	F-P	4-8 ft	White	Jun-Jul	MD	AS	Spherical flower clusters of that smell of meat attract flies as pollinators. A vine of moist wood margins and meadows	Coming Soon		
<i>Spirea alba</i>	Meadowsweet	F-P	3-4 ft	White	Jun-Aug	WM	A	Adapted to many wetland edges in calcareous and sandy soils. Will tolerate normal garden soil in part sun and almost full shade	Coming Soon		
<i>Spirea tomentosa</i>	Steeplebush	F-P	3-5 ft	Pink	Jul-Sep	WM	A	Like its cousin, growing in wet soil, however acidic soils preferred. Spreading. Pink showy blooms			\$ 12.00
<i>Staphlea trifolia</i>	Bladdernut	F-P	10-15 ft	White	Apr-May	MD	A	A large shrub, suckering, growing along bottomland forest, streams, thickets tolerating a wide variety of soils, with interesting papery seed capsule	Coming Soon		
<i>Symphycarpus albus</i>	Snowberry	F-P-S	3-6 ft	Pink	Jun-Jul	MD	AS	Lots of unique features including leaf shape, colour and branching pattern, white berry, and pink flower. Tolerates all soil types, shade, and moistures. Great for restoration and gardens			\$ 12.00
<i>Taxus canadensis</i>	Canada Ewe	P-S	3-5 ft	n/a	Apr-May	MD	A	Our native Ontario species of Yew. Does have very similar characteristics to European version which is so popular in gardens. This is a great native substitute			Coming Soon
<i>Thuja occidentalis</i>	Eastern White Cedar	F-P-S	40 ft	n/a	n/a	WMD	A	Dominant in cool, moist nutrient rich wet swamp habitats, also enjoys rocky cliffs of the escarpment, a variety of habitats. First Nations sacred herb			\$ 12.00

Latin Name	Common Name	Sun (Full, Part, Shade)	Height	Bloom	Time	Moisture (Wet-Mesic-Dry)	Soil (All-Sand-Clay-Loam)	Habitat and Information	3.25" x 4"	4.25 x 5" jumbo pot	5.5 x 6" 1 gal pot
<i>Vaccinium corymbosum</i>	High Bush Blueberry	F-P-S	6-10 ft	White/Pink	May-Jun	MD	S	Highly edible, acidic soils required, excellent in part shade and open wet thickets, water's edge			Coming Soon
<i>Vaccinium myrtilloides</i>	Velvet Leaved Blueberry	F-P-S	15-60 cm	White/Pink	May-Jun	MD	S	Highly edible, grows on sandy or rocky acidic soils, Laurentian gneiss, excellent in part shade in dry and wet softwood or mixed wood forests			\$ 12.00
<i>Viburnum acerifolium</i>	Mapleleaf viburnum	S	3-6 ft	White	Jun	MD	AS	A small Viburnum that does well in deep shaded sandy rocky soil, and loamy deciduous or mixed moist to dry forests			\$ 12.00
<i>Viburnum cassinoides</i>	Wild Raisin	P-S	5-12 ft	White	May-Jun	MD	AS	Common in wetland but tolerates dry soil. Prefers sand. Smooth shiny leaf and showy flower and berry. Popular for gardeners and edible			\$ 12.00
<i>Viburnum lentago</i>	Nannyberry	F-P	14-16 ft	White	May	M	A	Adaptable tall shrub, edible, similar to raisins when ripe. Glossy foliage producing showy blooms in spring, dark berries in fall			\$ 12.00
<i>Viburnum rafinesquianum</i>	Arrowwood viburnum	F-P-S	6-10 ft	White	May-Jun	MD	AS	Mildly toxic if eaten in larger quantities unlike other viburnum. Unique deeply veined and serrated leaves. Often in acidic sandy woods			\$ 12.00
<i>Viburnum trilobum</i>	Highbush Cranberry	F-P	6-13 ft	White	Apr-May	MD	A	This is true to species (not hybrid between European). Much more edible fruit than exotic. Edible for human and wildlife, great for restoration and disturbed meadows and open woods			\$ 12.00

Ecosystem Restoration - Landscape Design - Native Plants - Community Greening - Consulting  
Ontario Flora - 519 387 7668 (ROOT) - info@ontarioflora.ca - www.ontarioflora.ca  
Please note our nursery is by appointment only, please call to make an appointment to visit